



Third Angle Projection

Remove All Sharp Edges
Do Not Scale
If In Doubt - Ask



BASE SIZE	LR800	LR900
BASE WIDTH	1304	1404
BASE LENGTH Without a gate	1990	1990
BASE LENGTH With a gate	2045	2045



IMPORTANT NOTE


A lift supplied for external applications should wherever possible, be installed with its base flush with, or above, the level of the surrounding ground, and on a standing which will remain free from accumulations of water.

Should the client wish to have a lift installed outdoors, with a pit, it is a condition of supply that the client ensures that such a pit remains properly drained at all times.

Wessex reserves the right to decline warranty claims arising from any accumulation of water within such a pit or base.

If a pit is required (option) refer to dimensions below.

PIT SIZE	Without Gate	With Gate
LENGTH	1540	1595
WIDTH	Base Width	Base Width
DEPTH	60-65 max	60-65 max



Note 1
The top Concrete slab (1000x280x150) is only required to be built to these specifications, when the gate option is needed.

Notes:-

The lift applies a maximum load of 5KN to the base.

A concrete base is required, with a minimum of 150mm depth.

If a gate option is required, a concrete threshold as specified in fig 1 is required.

The base and vertical face of the threshold must have a smooth finish and be level to within 5mm.


A turning circle of diameter 1500mm is recommended, at the entrance and exit points of the lift for access.

A minimum of 2000mm is required above the threshold height.


KEY:-

- = Flatness tolerance within 5mm (level to within 5mm)
- = Perpendicular to face "A" tolerance within 5mm (Vertically level to within 5mm)
- = Parallel to face "A" tolerance within 5mm (level to within 5mm)

Gate frame option



Note: Threshold must be capable of withstanding a 1KN/fixing, when the gate option is fitted.



Alteration	Initials	Date	Issue
Threshold tolerance added for gate area. Gate width dimension corrected ECO 1293	WP	23.7.08	C



Wessex Lift Company Limited,
Budds Lane, Romsey, Hampshire,
SO51 0HA

THIS DRAWING IS THE PROPERTY OF WESSEX LIFT COMPANY LIMITED, AND MAY NOT BE PUBLISHED REPRODUCED OR USED FOR MANUFACTURE WITHOUT THE EXPRESS PERMISSION OF THE OWNERS IN WRITING

Unless Otherwise Stated All Dimensions are in mm. TOLERANCES unless otherwise stated:
Decimal Places:
X = ±1
X.X = ±0.25
X.XX = ±0.13
ANGULAR: ±0.5°
Thread ISO Coarse Class 6
Hole sizes = H11

DRAWN	NAME	WP	DATE	02/04/2007	TITLE:
MATERIAL:	N/A				
FINISH:	N/A				
Weight	N/A				
SCALE:1:25	Sheet Size A3				

LR BUILDERS
WORK DRAWING

DWG NO.

LR009000

SHEET 1 OF 1